

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

LIBRARY
AUG 6 1938
U. S. Department of Agriculture

**SPRING
WHOLESALE
PRICE LIST**

KOSTER CO.
INC.

**WHOLESALE
NURSERYMEN**



MARCH 1, 1938

BRIDGETON, N. J.

PHONE 1053

Terms and Conditions of Sale



ORDERS: State size desired and give specific shipping instructions—whether by freight, express or motor, date of delivery and to whom notice of delivery and invoice is to be sent. If no shipping instructions are included we will ship by best carriage. If no date is specified we will ship at once or as soon as weather or conditions of plants allow.

LINING OUT STOCK. Lining out material is shipped bare root with the roots puddled and protected with damp moss. Azaleas and Rhododendrons having a natural ball are protected with paper.

SPECIMEN PLANTS. All specimen stock is shipped balled and burlapped except small Boxwood and Lilacs. These items are mossed.

TRANSPORTATION. All shipments are adequately and carefully packed; and shipped over the Central New Jersey or Pennsylvania Railroads, or by motor freight. We can arrange truck load deliveries to Philadelphia for \$18.00, New York City \$40.00 and Baltimore \$45.00, other distances in proportion.

PRICES. We quote 1 to 50 plants of ONE KIND at the 10 rate, 50 to 300 at the 100 rate and over 300 at the 1000 rate. Packing at cost of material.

TERMS: Orders from NEW CUSTOMERS not accompanied by cash or references will be shipped C. O. D.. Your bank and two business houses with whom you have dealt three or more years are considered necessary references. REGULAR ACCOUNTS are due net 30 days or 2% discount 10 days. When cash accompanies order packing is not charged. Interest is charged on past due accounts.

GUARANTEE: Our stock is true to name and is of size and quality represented. We give no other guarantee of warranty.

INSPECTION: All plants shipped OUTSIDE the Japanese Beetle Quarantine ARE accompanied with a Japanese Beetle Certificate. Shipments INSIDE the Japanese Beetle Quarantine Zone will NOT have a Japanese Beetle Certificate unless requested. All shipments ARE accompanied with a New Jersey Nursery Certificate of Health.

CLAIMS: If stock is unsatisfactory, claims should be made promptly upon receipt of goods. No claims after 10 days.

KOSTER COMPANY INC.

Bridgeton, New Jersey.

Telephone:—Bridgeton 1053.

C. Courtney Seabrook, Mgr.

John Vermullen

Hap Hoogendoorn

Lining-Out Stock

100 rate 1000 rate

ABIES concolor (seedlings) White fir

* 1 to 3 in. 1 yr. seedling	\$0.04	\$0.03
* 2 to 4 in. 2 yr. seedling	.05	.04
* 4 to 6 in. 2 yr. tpl.	.10	.08

ACER palmatum (seedlings) Japanese maple

* 2 to 4 in. 1 yr. seedling	\$0.03	\$0.02
-----------------------------	--------	--------

—atropurpureum novum (grafted) True red leaf Japanese maple

* 6 to 8 in. 1 yr. tpl.	\$0.30	\$0.25
* 8 to 10 in. 2 yr. tpl.	.40	.35

AZALEA altaclarence (seedlings) Yellow flowered Ghent azalea

* 3 to 6 in. 1 yr. tpl.	\$0.09	\$0.07
-------------------------	--------	--------

—benegiri (cuttings) Deep red kurume

° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.	.18	

—calendulacea (seedlings) Flame azalea

* 3 to 6 in. 1 yr. tpl.	\$0.09	\$0.07
-------------------------	--------	--------

—coral belle (cuttings) Double shell-pink flowers

° 2 to 3 in. 1 yr. tpl.	\$0.12	\$0.10
° 3 to 4 in. 1 yr. tpl.	.15	.12
° 4 to 6 in. 2 yr. tpl.	.25	.20

—hinodegiri (cuttings) Red flowered evergreen azalea

° 2 to 3 in. 1 yr. tpl.	\$0.12	\$0.10
° 3 to 4 in. 1 yr. tpl.	.15	.12
° 4 to 6 in. 2 yr. tpl.	.25	.20

—indica (grafted) Large flowering Belgian azalea

Dr. Martin	Mme. Ralph Saunders
Empress of India	Niobe
Empire	Prof. Walter
Ernest Theirs	Romane de Smet
Ernest von Eckhart	Temperior
Mme. Jos. Vervaene	Van der Cruysen
Mme. Morreaux	Vervaena

4 to 6 in. 1 yr. tpl.	\$0.50	\$0.45
6 to 8 in. 2 yr. tpl.	.75	.65

—j. c. van tol (seedlings) An orange-red type of Mollis

* 3 to 6 in. 1 yr. tpl.	\$0.09	\$0.07
* 6 to 9 in. 2 yr. tpl.	.15	.12

—kaempferi (seedlings) Orange red flowers

° 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
° 6 to 8 in. 1 yr. tpl.	.15	.12
° 8 to 10 in. 2 yr. tpl.	.25	.20
° 10 to 12 in. 2 yr. tpl.	.30	.25

*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.

	100 rate	1000 rate
—kaempferi hybrid (seedlings) Flowers vary from flame red to orchid pink		
° 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
° 6 to 8 in. 1 yr. tpl.15	.12
° 8 to 10 in. 2 yr. tpl.25	.20
° 10 to 12 in. 2 yr. tpl.30	.25
—kaempferi hybrid (cuttings) Named varieties (see page 14 for description of varieties.		
Atalanta—orchid pink		
Carmen—pink		
Cleopatra—shell pink		
Fedora—pink		
Martha—orchid pink		
Mikado—red		
Othello—orange-red		
Zampa—crimson-pink		
° 3 to 4 in. 1 yr. tpl.	\$0.12	\$0.10
° 4 to 6 in. 1 yr. tpl.15	.12
° 6 to 8 in. 2 yr. tpl.25	.20
° 8 to 10 in. 2 yr. tpl.30	.25
—macrantha—single (cuttings) Large red evergreen azalea		
° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.18	
° 4 to 6 in. 2 yr. tpl.25	
—macrantha floreplena (cuttings) Double red flowers		
° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.18	
—mollis (seedlings) Orange to yellow flowers		
* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
—mucronulata (seedlings) Early rosy-purple flowers		
° 8 to 10 in. 2 yr. tpl.	\$0.35	\$0.30
—pink beauty (cuttings) Finest soft pink flowers.		
° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.18	
—pink pearl (cuttings) Large pink flowers		
° 3 to 4 in. 1 yr. tpl.	\$0.12	
° 4 to 6 in. 1 yr. tpl.15	
° 6 to 8 in. 2 yr. tpl.25	
° 8 to 10 in. 2 yr. tpl.30	
—pontica (seedlings) Deciduous Ghent azalea		
* 3 to 6 in. 1 yr. tpl.	\$0.09	\$0.07
—sweet brier (cuttings) A hardy pink kurume		
° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.18	
—vaseyi (seedlings) Pink shell azalea		
° 9 to 12 in. 2 yr. tpl.	\$0.25	
—yodogawa (cuttings) A double lavender-pink azalea		
° 2 to 3 in. 1 yr. tpl.	\$0.15	
° 3 to 4 in. 1 yr. tpl.18	
BERBERIS julianae (grafted) Wintergreen barberry		
* 6 to 8 in. 1 yr. tpl.	\$0.30	\$0.25
BIOTA orientalis (seedlings) Columnar habit, light green foliage		
* 2 to 4 in. 1 yr. seedling	\$0.02	\$0.01
* 6 to 12 in. 2 yr. seedling03	.02
* 6 to 12 in. 2 yr. tpl.05	.04
°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.		

	100 rate	1000 rate
— <i>orientalis compacta</i> (seedlings) Compact pyramidal biota		
* 9 to 12 in. 2 yr. tpl.	\$0.06	\$0.05
— <i>aurea nana</i> (grafted) Berckman's golden biota		
* 4 to 6 in. 1 yr. tpl.	\$0.20	\$0.18
* 6 to 8 in. 1 yr. tpl.25	.20
* 10 to 12 in. 3 yr. tpl.40	.35
BUXUS sempervirens (cuttings) American boxwood		
* 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
* 6 to 9 in. 2 yr. tpl.12	.10
— <i>suffruticosa</i> (cuttings) Old English boxwood		
* 2 to 3 ft. 1 yr. cut.	\$0.04	\$0.03
* 3 to 4 in. 1 yr. tpl.08	.06
* 4 to 6 in. 2 yr. tpl.12	.10
CEDRUS deodora (seedlings) Deodora cedar		
* 4 to 6 in. 1 yr. seedling	\$0.08	\$0.06
CERCIS siliquastrum (seedlings) Judas tree		
* 18 to 24 in. tpl.	\$0.15	
* 2 to 3 ft. tpl.20	
CHAMAECYPARIS alumni (cuttings) Lawsons's columnar cypress		
* 6 to 8 in. 1 yr. tpl.	\$0.12	\$0.10
CORNUS florida rubra (grafted) Red flowering dogwood		
* 8 to 10 in. 1 yr. tpl.	\$0.35	\$0.30
* 10 to 12 in. 1 yr. tpl.40	.35
* 12 to 15 in. 2 yr. tpl.60	.50
CUNNINGHAMIA lanceolata (seedlings) Chinese fir		
* 8 to 10 in. 2 yr. tpl.	\$0.09	\$0.07
DAPHNIPHYLLUM macropedum (seedlings) Evergreen Chinese shrub		
* 3 to 4 in. 1 yr. tpl.	\$0.10	
ENKIANTHUS campanylatus (seedlings) Red veined enkianthus		
* 6 to 8 in. 2 yr. tpl.	\$0.15	\$0.12
* 8 to 10 in. 2 yr. tpl.18	.15
* 10 to 12 in. 3 yr. tpl.30	.25
GINKGO biloba (seedlings) Maidenhair tree		
* 6 to 8 in. 2 yr. seedl.	\$0.12	\$0.10
* 8 to 10 in. 2 yr. tpl.18	.15
HYDRANGEA petiolaris (seedlings) Climbing hydrangea		
Strong plants from pots	\$0.25	
ILEX acufolia (English holly)		
* 9 to 12 in. 3 yr. tpl.	\$0.40	
— <i>argenteo marginata</i> (grafted) Silver margined holly		
* 8 to 10 in. 2 yr. tpl.	\$0.40	
— <i>buxifolia, bullata or convexi</i> (cuttings) Dwarf boxwood holly.		
* 2 to 4 in. 1 yr. tpl.	\$0.12	\$0.10
* 4 to 6 in. 1 yr. tpl.15	.12
* 6 to 8 in. 2 yr. tpl.25	.20
* 8 to 10 in. 2 yr. tpl.30	.25
*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.		

	100 rate	1000 rate
—camelliafolia (grafted) Improved English holly		
* 10 to 15 in. 3 yr. tpl.	\$0.40	
—cornuta (cuttingss) Chinese holly		
* 10 to 15 in. 2 yr. tpl.	\$0.40	
—crenata (cuttings) Japanese holly		
* 3 to 4 in. 1 yr. tpl.	\$0.12	\$0.10
* 4 to 6 in. 1 yr. tpl.15	.12
* 6 to 8 in. 2 yr. tpl.25	.20
* 8 to 10 in. 2 yr. tpl.30	.25
—glabra (cuttings) Inkberry		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
* 8 to 10 in. 2 yr. tpl.25	
—laevigata polycarpa (grafted) Improved aquifolia type		
* 9 to 12 in. 3 yr. tpl.	\$0.40	
—pernyi (cuttings) Oriental dwarf holly		
* 2 to 3 in. 1 yr. tpl.	\$0.15	\$0.12
* 3 to 4 in. 1 yr. tpl.18	.15
—verticillata (seedlings) Black alder winterberry		
* 8 to 10 in. 2 yr. tpl.	\$0.12	\$0.10
JUNIPERUS burki (grafted) Burk's blue columnar red cedar		
* 8 to 10 in. 1 yr. tpl.	\$0.50	\$0.45
—depressa plumosa (cuttings) Prostrate Andorra juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
—fortunei (grafted) (sphaerica) Globular juniper		
* 8 to 10 in. 1 yr. tpl.	\$0.35	\$0.30
—hibernica (cuttings) Irish juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
* 8 to 10 in. 2 yr. tpl.25	.20
—keteleeri (grafted) Keteleer red cedar		
* 8 to 10 in. 1 yr. tpl.	\$0.35	\$0.30
—meyeri (cuttings) Meyer's fishtail juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
—pfitzer (cuttings) Pfitzer's spreading juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.20	\$0.18
* 6 to 8 in. 1 yr. tpl.25	.20
—sabina (cuttings) Sabin's juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
—schotti (grafted) Scott's red cedar		
* 8 to 10 in. 1 yr. tpl.	\$0.35	\$0.30
—stricta (cuttings) Spiny Greek juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 1 yr. tpl.15	.12
* 6 to 8 in. 2 yr. tpl.20	.18
* 8 to 10 in. 2 yr. tpl.25	.20

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.

	100 rate	1000 rate
—suicica (cuttings) Swedish juniper		
* 4 to 6 in. 1 yr. tpl.	\$0.12	
* 6 to 8 in. 1 yr. tpl.15	
LEUCOTHOE catesbaei (seedlings) Drooping leucothoe		
* 6 to 8 in. 2 yr. tpl.	\$0.12	\$0.10
* 8 to 10 in. 2 yr. tpl.15	.12
LIBOCEDRUS decurrens (seedlings) Incense cedar		
* 8 to 10 in. 2 yr. tpl.	\$0.20	\$0.18
MAGNOLIA soulangeana (grafted) Pink saucer magnolia		
* 9 to 12 in. 1 yr. tpl.	\$0.50	\$0.40
* 12 to 18 in. 3 yr. tpl.70	.60
—soulangeana nigra (grafted) Black saucer magnolia		
* 12 to 18 in. 3 yr. tpl.	\$0.70	\$0.60
MAHONIA aquifolium (seedlings) Oregon hollygrape		
* 2 to 4 in. 1 yr. seedl.	\$0.04	\$0.03
* 8 to 10 in. 2 yr. tpl.12	.10
NANDINA domestica (seedlings) Heavenly bamboo		
* 2 to 4 in. 2 yr. seedl.	\$0.04	\$0.03
PICEA engelmanni (seedlings) Engelmann spruce		
* 1 to 3 in. 1 yr. seedl.	\$0.04	\$0.03
* 2 to 4 in. 2 yr. seedl.05	.04
—excelsa (seedlings) Norway spruce		
* 2 to 3 in. 1 yr. seedl.	\$0.03	\$0.02
* 3 to 6 in. 2 yr. seedl.04	.03
* 6 to 8 in. 1 yr. tpl.08	.06
* 8 to 10 in. 2 yr. tpl.10	.08
—pungens (seedlings) Colorado spruce		
* 2 to 4 in. 1 yr. seedl.	\$0.04	\$0.03
—pungens glauca (seedlings) Colorado blue spruce		
* 2 to 4 in. 1 yr. seedl.	\$0.04	\$0.03
—pungens kosteri (grafted) Koster's blue spruce		
* 4 to 6 in. 1 yr. tpl.	\$0.50	\$0.40
* 6 to 8 in. 2 yr. tpl.60	.50
PIERIS japonica (cuttings) Japanese andromeda		
* 3 to 4 in. 1 yr. tpl.	\$0.12	\$0.10
* 4 to 6 in. 1 yr. tpl.15	.12
6 to 8 in. 2 yr. tpl.25	.20
8 to 10 in. 2 yr. tpl.30	.25
PINUS bungeana (seedlings) Lacebark pine		
* 4 to 6 in. 2 yr. tpl.	\$0.12	\$0.10
—cembra (grafted) columnar Swiss stove pine		
* 4 to 6 in. 1 yr. tpl.	\$0.50	
* 6 to 8 in. 2 yr. tpl.60	
—jeffreyi (seedlings) Oregon blue pine		
* 6 to 8 in. 2 yr. tpl.	\$0.12	\$0.10
—koriensis (seedlings) Korean pine		
* 2 to 3 in. 2 yr. tpl.	\$0.12	\$0.10
*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.		

	100 rate	1000 rate
— <i>nigra</i> (seedlings) Austrian pine		
* 3 to 6 in. 1 yr. seedl.	\$0.04	\$0.03
* 6 to 8 in. 1 yr. tpl.08	.06
* 8 to 10 in. 2 yr. tpl.10	.08
— <i>pectinata</i> (seedlings) Pectin pine		
* 9 to 12 in. 2 yr. tpl.	\$0.12	\$0.10
— <i>parviflora glauca</i> (grafted) Blue pine		
* 6 to 8 in. 1 yr. tpl.	\$0.50	
— <i>rigida</i> (seedlings) Pitch pine		
* 9 to 12 in. 2 yr. tpl.	\$0.12	\$0.10
— <i>strobis</i> (seedlings) Pitch pine		
* 6 to 9 in. 2 yr. tpl.	\$0.12	\$0.10
— <i>sylvestris</i> (seedlings) Scotch pine		
* 3 to 6 in. 1 yr. seedl.	\$0.04	\$0.03
* 6 to 8 in. 1 yr. tpl.08	.06
PSEUDOTSUGA douglasi glauca (seedlings) Blue Douglas fir		
* 2 to 4 in. 1 yr. seedl.	\$0.04	\$0.03
* 3 to 6 in. 2 yr. seedl.05	.04
RETINOSPORA plumosa (cuttings) Plume cypress		
* 6 to 8 in. 1 yr. tpl.	\$0.12	\$0.10
— <i>plumosa aurea</i> (cuttings) Golden plume cypress		
* 6 to 8 in. 1 yr. tpl.	\$0.12	\$0.10
— <i>squarrosa nana</i> (cuttings) Dwarf moss cypress		
* 3 to 4 in. 1 yr. tpl.	\$0.20	
RHODODENDRON hybrids. All Rhododendron varieties are grafted on hardy understock by expert propagators. See page 19 for description.		
Album elegans—white	Lee's Dark Purple—purple	
America—red	Mrs. P. den Ouden—red	
Amphion—pink, white eye	Mrs. Sargent—light red	
Boule de neige—white	Parsons' grand.—wine red	
Catawbiense album—white	Pres. Lincoln—lavender	
Cat. grandiflorum—lilac	Prof. Bettex—red	
Dr. Dresselhuys—red	Purp. elegans—purple	
Dr. Lovink—red	Ros. elegans—orchid pink	
Dr. Rutgers—red	Van der Broeke—red	
Everestianum—lilac	Van der Hoop—red	
Ignatius Sargent—red	V Weerden Poelman—red	
Kettledrum—red		
° 6 to 9 in. 1 yr. tpl.	\$0.60	\$0.50
° 9 to 12 in. 2 yr. tpl.75	.65
RHODODENDRON arboreum (seedlings) White to red flower tree rhododendron		
4 to 8 in. 1 yr. tpl.	\$0.18	\$0.15
6 to 12 in. 2 yr. tpl.25	.20
— <i>carolina</i> (seedlings) Carolina rhododendron		
° 6 to 8 in. 1 yr. tpl.	\$0.10	\$0.08
° 8 to 10 in. 2 yr. tpl.18	.15
°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.		

	100 rate	1000 rate
—catawbiense (seedlings) Catawba rhododendron		
° 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
° 6 to 8 in. 2 yr. tpl.18	.15
—catawbiense hybrid seedlings (seedlings)		
° 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
° 6 to 8 in. 2 yr. tpl.18	.15
—discolor (seedlings) Large leaf pink flowering rhodo.		
3 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
4 to 6 in. 2 yr. tpl.25	.20
—fortunei (seedlings) Pink color flowers		
4 to 6 in. 1 yr. tpl.	\$0.18	\$0.15
6 to 8 in. 2 yr. tpl.25	.20
—keiski (seedlings) Yellow flowered dwarf evergreen r.		
4 to 6 in. 1 yr. tpl.	\$0.18	\$0.15
6 to 8 in. 2 yr. tpl.25	.20
—maximum (seedlings) Rose bay rhododendron		
3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
—metternichi (seedlings) Rose flowered dwarf rhodo.		
2 to 3 in. 1 yr. tpl.	\$0.18	\$0.15
3 to 4 in. 2 yr. tpl.25	.20
—pontica (seedlings) Pontica rhododendron		
° 3 to 6 in. 1 yr. tpl.	\$0.08	\$0.06
—racemosa (seedlings) Dwarf Chinese pink flowered R.		
2 to 4 in. 1 yr. tpl.	\$0.18	\$0.15
4 to 6 in. 2 yr. tpl.25	.20
—racemosa hybrids (seedlings)		
6 to 9 in. 2 yr. tpl.	\$0.25	\$0.20
STEWARTIA monadelphica (seedlings)		
* 8 to 10 in. 1 yr. seedl.	\$0.12	\$0.10
SYRINGA vulgaris (root grafted) French hybrid lilacs		
* 4 to 10 in. 1 yr. tpl.	\$0.20	\$0.18
Variety	Quantity	
Berryer—double, early lilac	80	
Chas. X—single lilac	200	
Chas. Joly—double red	100	
Horstenstein—Single red	180	
Katherine Havemeyer—double blue	50	
Lamartine—single, early pink	200	
Ludwig Spaeth—single red	630	
Mrs. Ed. Harding—double red	65	
Miss E. Willmott—double white	150	
Mme. Lemoine—double white	255	
Mont Blanc—single white	100	
Pres. Grevy—double violet	880	
Reaumur—single purple	60	
TAXUS baccata (grafted) English yew		
* 8 to 10 in. 1 yr. tpl.	\$0.30	
—brevifolia nana (cuttings) Dwarf Japanese yew		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 2 yr. tpl.20	.18
* 8 to 10 in. 3 yr. tpl.30	.25
*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.		

	100 rate	1000 rate
—canadensis (grafted) Canadian yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
—capitata (seedlings) Pyramidal yew		
* 1 to 3 in. 1 yr. seedl.	\$0.06	\$0.05
* 10 to 12 in. 3 yr. tpl.30	.25
—cuspidata (cuttings) Spreading Japanese yew		
* 4 to 6 in. 1 yr. cuttings	\$0.10	\$0.08
—densa (grafted) Compact cuspidata yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
—erecta overiender (grafted) Upright yew		
* 8 to 10 in. 1 yr. tpl.	\$0.30	
* 10 to 12 in. 2 yr. tpl.40	.35
fastigiata aurea (grafted) Golden Irish yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
— — aurea (grafted) Golden Irish yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
* 8 to 10 in. 1 yr. tpl.40	
—hatfieldi (grafted) Hatfield yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
* 8 to 10 in. 1 yr. tpl.40	
—hicksi (cuttings) Upright Hick's yew		
* 6 to 8 in. 1 yr. cuttings	\$0.10	\$0.08
* 6 to 8 in. 1 yr. tpl.12	.10
* 8 to 10 in. 2 yr. tpl.20	.18
* 10 to 12 in. 3 yr. tpl.30	.25
—intermedia (cuttings) Globular yew		
* 3 to 4 in. 1 yr. tpl.	\$0.12	\$0.10
* 10 to 12 in. 3 yr. tpl.30	.25
—media andorra (grafted) Andorra yew		
* 8 to 10 in. 1 yr. tpl.	\$0.30	
—repandens (grafted) Prostrate yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	\$0.25
* 8 to 10 in. 2 yr. tpl.40	.35
—semperaurea (grafted) Low golden yew		
* 6 to 8 in. 1 yr. tpl.	\$0.30	
* 8 to 10 in. 2 yr. tpl.40	
THUJA elegantissima (cuttings) Golden upright arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 2 yr. tpl.20	.18
—globosa (cuttings) Compact globe arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 8 in. 2 yr. tpl.15	.12
—pumula (cuttings) Pumula arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
—pyramidalis (cuttings) Pyramidal arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 8 in. 2 yr. tpl.18	.15
—rosenthali (cuttings) Rosenthal's arborivtae		
* 4 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
* 6 to 8 in. 2 yr. tpl.18	.15

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.

	100 rate	1000 rate
— <i>spiralis</i> (cuttings) Moss arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
— <i>warreana</i> (cuttings) Siberian arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
* 6 to 8 in. 2 yr. tpl.20	.18
— <i>woodwardi</i> (cuttings) Woodward globe arborvitae		
* 4 to 6 in. 1 yr. tpl.	\$0.12	\$0.10
TSUGA <i>canadensis</i> (seedlings) Canadian hemlock		
* 3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
— <i>carolina</i> (seedlings) Carolina hemlock		
* 3 to 6 in. 1 yr. tpl.	\$0.10	\$0.08
— <i>fremdi</i> (grafted) Dwarf pyramidal hemlock		
* 4 to 6 in. 1 yr. tpl.	\$0.75	each
* 6 to 8 in. 2 yr. tpl.	1.00	each
VACCINIUM <i>vitis idea major</i> (cuttings) Cowberry		
2 to 3 in. 2 yr. tpl. pots	\$0.75	each
— <i>vitis idea minor</i> (cuttings) Mountain cowberry		
2 to 3 in. 2 yr. tpl. pots	\$0.75	each
*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.		

RHODODENDRON CULTURE

The importation of Rhododendrons from Europe was stopped in 1919 by quarantine 37. Since then, Koster Nurseries have been propagating Rhododendrons in large quantities, and during the past 20 years have grafted over one-half million Hybrids. Our plants are known throughout the United States for their superior quality and hardiness. Our plants are grafted on hardy understock by expert propagators and must not be confused with inferior seedling types of Rhododendrons. They have been produced under open field culture and have compact tops and splendid root systems. If given the proper conditions, these healthy and vigorous plants will thrive without coddling or nursing.

LOCATION. Rhododendrons can be grown in practically any situation with the exception of those spots entirely in the shade of big trees or on a steep bank facing south in the brilliant sunlight. In the former case, the plants are deprived of the sunlight essential to good health. While in the latter they suffer from drought during the hot weather, and sun injuries in the winter when the leaves are frozen. A northern, western or eastern exposure is especially desirable as the plants are less likely to receive the direct winter sun on their frozen leaves. Cool, moist positions suit them best, and provided the ground is well drained, they will flourish in comparatively wet spots. Partial shade is very beneficial rather than otherwise, if it can be obtained without planting too near the roots of strong growing trees. The Rhododendrons on Koster Nurseries are growing out in the open fields in full sunlight and will thrive in quite adverse locations.

SOIL. A well drained acid soil containing plenty of leaf mold is ideal for Hybrid Rhododendrons. In limestone or heavy clay soils it is necessary to trench the ground to a depth of two feet, discarding the limestone soil and replacing with good fibrous loam that has been mixed with decayed leaf mold or peat. For best results, one third fibrous loam, one third peat or decayed leaf mold and one third rich, slightly acid top soil should be used. In the heavy clay soils, bottom drainage should be provided by using sharp sand or cinders. Fresh stable manure should be avoided in spring prepared soil but a good quantity may be encroached in the soil if it is done the fall previous to spring planting.

PLANTING. The ground should not be too wet and the plants should be thoroughly trodded in when planting. If the soil can be properly prepared for Rhododendrons, it is impossible to tread Rhododendrons too firmly since, when the root is removed the fibrous nature of the soil will make it rise right back up again. The plants should be planted at the same depth as they have been in the nursery or a trifle deeper. The ground mark on the stem being a sufficient guide for this. If the roots are at all dry, they should be thoroughly soaked before planting by standing them in water for one-half hour. One and one-half times their height is a good distance to plant Rhododendrons apart. Here on Koster Nursery, plants two feet high are planted about three feet apart. Planting can be done favorably during the months from September 1 to June 1, especially when the ground is frozen or very dry.

CARE. Two year old or older grafted Rhododendrons are passed the difficult stage, and require only ordinary care. For established plants, a yearly top dressing of well rotted cow manure applied in November and covered with six inches of oak leaves will provide food that will maintain a healthy, vigorous ground during the next spring and summer growing season. The removal of flower set buds as soon as the booms are over, will promote growth and flowers for the next season. There are few enemies of Rhododendrons and their prevention is easier than their cure. Towards this goal, the following spring campaign is highly recommended. A dormant, one per cent miscible oil spray applied in early March. A nicotine and soap spray applied in early May and Bordeaux mixture plus arsenic lead applied in July.

Specimen Stock

B&B signifies Balled and Burlapped

	10 rate	100 rate
ABIES bracyphylla —Golden nikko fir		
4 to 5 ft. B&B	\$3.00	
5 to 6 ft. B&B	4.00	
6 to 7 ft. B&B	6.00	
—concolor—White fir		
18 to 24 in. B&B	\$0.75	
2 to 3 ft. B&B	1.00	
3 to 4 ft. B&B	1.25	
ACER palmatum atropurpureum novum —Red leaf Japanese maple		
10 to 12 in. B&B	\$0.75	\$0.65
12 to 15 in. B&B90	.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	
AZALEA coral belle —Double shell pink flowering dwarf azalea which is excellent for forcing		
° 4 to 6 in. B&B	\$0.35	\$0.25
° 6 to 8 in. B&B45	.35
—hinodegiri—A bright green leaved evergreen azalea with an abundance of red flowers. Excellent for forcing		
° 4 to 6 in. B&B	\$0.35	\$0.25
° 6 to 8 in. B&B45	.35
° 8 to 10 in. B&B60	.50
10 to 12 in. B&B75	.50
12 to 15 in. B&B	1.00	.85
15 to 18 in. B&B	1.25	
—indica varieties (grafted)—The large flowering Belgian forcing azalea		
Dr. Martin	Mme. Ralph Saunders	
Empress of India	Niobe	
Empire	Prof. Walter	
Ernest theirs	Romane de Smet	
Ernest von Eckhart	Temperior	
Mme. Jos. Vervaene	Van der Cruysen	
Mme. Morreaux	Vervaeneana	
6 to 8 in. B&B	\$0.90	\$0.75
8 to 10 in. B&B	1.25	1.00
10 to 12 in. B&B	1.50	1.25
12 to 15 in. B&B	1.75	1.50
—kaempferi—Extremely hardy torch azalea with orange red flowers		
° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	2.00
2½ to 3 ft. B&B	3.25	

*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.

10 rate 100 rate

—kaempferi hybrid seedlings—Seedlings of the kaempferi malvatica cross with flowers in various shades of red, pink and flame colors

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	2.00
2½ to 3 ft. B&B	3.25	

—kaempferi hybrids—The result of crossing kaempferi and malvatica to obtain the hardiest type of evergreen azalea with a good range of colors in flowers. These unusual new azaleas have proven hardy in the last few severe winters and are the only azaleas that have flowered.

—kaempferi Atalanta—Immense large orchid-pink flowers. Plants are strong tall growers. Late flowering variety.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	

—kaempferi Carmen—A large pink colored bushy growing variety.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50

—kaempferi Cleopatra—A very hardy rapid growing, upright variety producing an abundance of beautiful shell pink flowers. This makes a striking effect when used in mass plantings with varieties Fedora and Othello.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	2.00
2½ to 3 ft. B&B	3.25	3.00

—kaempferi Fedora—The exceptionally large pink flowers of this variety have won first prizes wherever exhibited, here or abroad. The hardiness and vigorous open growing habit recommend this variety especially for outdoor mass plantings. Also an excellent forcing variety.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	2.00

—kaempferi Martha—A large orchid-pink flowered dwarf grower. The extreme hardiness and flat spreading habit recommend it for border planting. Latest flowering kaempferi azalea.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.

10 rate 100 rate

—kaempferi Mikado—This variety produces flowers the same red as Hinodegiri azalea but it is much harder and has a tall upright growing habit.

° 12 to 15 in. B&B	\$0.90	
° 15 to 18 in. B&B	1.25	
18 to 24 in. B&B	1.75	

—kaempferi Othello—This orange-red flowering variety is very effective when used with Fedora and Cleopatra in mass planting.

° 12 to 15 in. B&B	\$0.90	\$0.75
° 15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.75	1.50
2 to 2½ ft. B&B	2.25	

—kaempferi Zampa—This variety has immense large crimson pink flowers and is a sturdy grower.

° 12 to 15 in. B&B	\$0.90	
° 15 to 18 in. B&B	1.25	
18 to 24 in. B&B	1.75	

BIOTA aurea nana—Berckman's golden biota

10 to 12 in. B&B	\$0.45	\$0.35
12 to 15 in. B&B60	.45
15 to 18 in. B&B75	
18 to 24 in. B&B90	

—elegantissima—Yellow pyramidal biota

15 to 18 in. B&B	\$0.50	\$0.40
18 to 24 in. B&B60	.50
2 to 3 ft. B&B75	.65

BUXUS sempervirens—American bush boxwood

8 to 10 in. B&B	\$0.35	\$0.25
-----------------------	--------	--------

—suffruticosa—Dwarf old English boxwood

* 4 to 6 in. edging (\$0.06-1000 rate) ..	\$0.08	\$0.07
* 6 to 8 in. edging (\$0.08-1000 rate) ..	.10	.09
6 to 8 in. x 4 to 6 in. B&B30	.25
6 to 8 in. x 6 to 8 in. B&B40	.35
8 to 10 in. x 6 to 8 in. B&B50	.45

CHAMAECYPARIS lawsoniana hollandia—Holland Cypress

15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	

—lawsoniana triumphe de boskoop—Boskoop cypress

15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	

—obtusa—Hinoki cypress

15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	

—obtusa crippsi—Cripps golden cypress

15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	

—obtusa youngi—Young's golden cypress

15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	
2 to 3 ft. B&B	1.25	

*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.

		10 rate	100 rate
— <i>obtusa gracilis</i> —Dark green slender Hinoki cypress			
15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	
2 to 3 ft. B&B	1.25	\$1.00
3 to 4 ft. B&B	1.50	1.25
CORNUS florida rubra—Red flowering dogwood			
15 to 18 in. B&B	\$1.00	\$0.75
18 to 24 in. B&B	1.25	1.00
COTONEASTER horizontalis (seedlings) Rock Cotoneaster			
10 to 12 in. B&B	\$0.50	\$0.40
12 to 15 in. B&B60	.50
—simonsi (seedlings) Simon's cotoneaster			
12 to 15 in. B&B	\$0.50	\$0.40
15 to 18 in. B&B60	.50
CRYPTOMERIA japonica lobbi—Japanese incense cedar			
3 to 4 ft. B&B	\$1.25	\$1.00
4 to 5 ft. B&B	1.75	1.50
5 to 6 ft. B&B	2.75	2.50
6 to 7 ft. B&B	3.75	3.50
7 to 8 ft. B&B	5.50	5.00
8 to 9 ft. B&B	7.50	7.00
9 to 10 ft. B&B	10.50	10.00
ENKIANTHUS campanulatus—red vein enkianthus			
2 to 2½ ft. B&B	\$1.50	
2½ to 3 ft. B&B	2.00	
ILEX aquifolia—English holly			
15 to 18 in. B&B	\$0.75	\$0.65
18 to 24 in. B&B90	.75
—buxifolia, convexi or bullata—Dwarf boxwood leaf holly			
8 to 10 in. B&B	\$0.50	\$0.40
10 to 12 in. B&B60	.50
12 to 15 in. B&B75	.65
—cornuta—Chinese holly			
12 to 15 in. B&B	\$0.75	\$0.65
15 to 18 in. B&B	1.00	.85
—crenata—Large leaf Japanese holly			
12 to 15 in. B&B	\$0.60	\$0.50
15 to 18 in. B&B75	.65
18 to 24 in. B&B	1.00	.85
2 to 2½ ft. B&B	1.25	
2½ to 3 ft. B&B	1.75	
—microphylla—Small leaf Japanese holly			
12 to 15 in. B&B	\$0.60	\$0.50
15 to 18 in. B&B75	.65
18 to 24 in. B&B	1.00	.85
2 to 2½ ft. B&B	1.25	
2½ to 3 ft. B&B	1.75	
—glabra—American inkberry			
12 to 15 in. B&B	\$0.75	\$0.65
15 to 18 in. B&B	1.00	.85

	10 rate	100 rate
JUNIPERUS chinensis columnaris—Blue columnar juniper		
18 to 24 in. B&B	\$0.90	\$0.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.75	1.50
4 to 5 ft. B&B	2.25	2.00
5 to 6 ft. B&B	3.25	3.00
6 to 7 ft. B&B	4.25	4.00
7 to 8 ft. B&B	6.00	
8 to 10 ft. B&B	10.00	
—chinensis pfitzer—Spreading pfitzer juniper		
3 to 4 ft. B&B	\$1.75	\$1.50
4 to 5 ft. B&B	2.25	2.00
5 to 6 ft. B&B	3.25	3.00
—chinensis veridis—Green columnar juniper		
18 to 24 in. B&B	\$0.90	\$0.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.75	1.50
4 to 5 ft. B&B	2.25	2.00
5 to 6 ft. B&B	3.25	3.00
6 to 7 ft. B&B	4.25	4.00
7 to 8 ft. B&B	6.00	
—excelsa stricta—Spiny Greek juniper		
10 to 12 in. B&B	\$0.45	\$0.35
12 to 15 in. B&B60	.45
15 to 18 in. B&B75	
18 to 24 in. B&B90	
—sphaerica or fortunei—Globe Juniper		
15 to 18 in. B&B	\$0.75	
18 to 24 in. B&B	1.00	
—squamatra meyeri—Blue fishtail juniper		
12 to 15 in. B&B	\$0.75	
15 to 18 in. B&B	1.00	
—virginiana cannarti—Cannart's red cedar		
15 to 18 in. B&B	\$0.75	
18 to 24 in. B&B	1.00	
—virginiana glauca—Blue Virginia cedar		
15 to 18 in. B&B	\$0.75	
18 to 24 in. B&B	1.00	
2 to 2½ ft. B&B	1.25	
—virginiana keteleri—Pyramidal red cedar		
15 to 18 in. B&B	\$0.75	\$0.65
18 to 24 in. B&B	1.00	.75
2 to 2½ ft. B&B	1.25	1.00
2½ to 3 ft. B&B	1.50	1.25
3 to 4 ft. B&B	1.75	1.50
—virginiana schotti—Schott red cedar		
15 to 18 in. B&B	\$0.75	
18 to 24 in. B&B	1.00	
KALMIA latifolia—American laurel		
12 to 15 in. B&B	\$0.70	\$0.60
15 to 18 in. B&B85	.75
18 to 24 in. B&B	1.25	1.00

	10 rate	100 rate
LEUCOTHOE catesbaei —Drooping leucothoe		
8 to 10 in. B&B	\$0.60	\$0.50
10 to 12 in. B&B70	.60
12 to 15 in. B&B90	
MAGNOLIA soulangeana —Pink saucer flowered magnolia		
15 to 18 in. B&B	\$0.75	\$0.65
18 to 24 in. B&B90	.75
PICEA excelsa —Norway spruce		
12 to 15 in. B&B very bushy	\$0.40	\$0.30
15 to 18 in. B&B very bushy50	.40
18 to 24 in. B&B very bushy60	.50
2 to 3 ft. B&B very bushy75	
—pungens kosteri —Koster's blue spruce		
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	1.75	1.50
2½ to 3 ft. B&B	2.50	2.00
3 to 4 ft. B&B	4.00	3.00
4 to 5 ft. B&B	7.00	5.00
5 to 6 ft. B&B	12.00	9.00
6 to 7 ft. B&B	20.00	
7 to 8 ft. B&B	30.00	
8 to 10 ft. B&B	40.00	
PIERIS floribunda —American mountain andromeda		
10 to 12 in. B&B	\$0.90	\$0.75
12 to 15 in. B&B	1.25	1.00
—japonica —Japanese andromeda		
10 to 12 in. B&B	\$0.75	\$0.60
12 to 15 in. B&B90	.75
15 to 18 in. B&B	1.50	1.25
—racemosa —American swamp andromeda		
18 to 24 in. B&B	\$0.90	\$0.75
2 to 3 ft. B&B	1.25	1.00
PINUS nigra —Austrian pine		
3 to 4 ft. B&B	\$2.00	
4 to 5 ft. B&B	3.00	
5 to 6 ft. B&B	4.00	
PYRACANTHA Coccinea —Scarlet firethorn		
12 to 15 in. B&B	\$0.60	\$0.50
15 to 18 in. B&B75	.65
18 to 24 in. B&B90	.75
2 to 3 ft. B&B	1.25	1.00
3 to 4 ft. B&B	1.50	1.25
RHODODENDRON catawbiense hybrid —We are America's largest growers of hardy hybrid grafted Rhododendrons and offer an unusual selection of varieties. Our plants are exceptionally hardy, being produced under open field culture, and have compact tops, splendid root system and abundance of buds.		
—Album elegans —white. A rapid growing tall variety recommended for back-grounds. Buds are flesh color and flowers open blush fading to white. Extremely hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
2 to 2½ ft. B&B	2.75	2.50
2½ to 3 ft. B&B	3.75	3.50
3 to 4 ft. B&B	5.00	

*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.

	10 rate	100 rate
—America—red. An excellent deep red of open spreading habit, hardy and easily forced.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Amphion (F. L. Ames)—Pink, white eye. A striking large deep pink flower with pure white center. Good forcing variety; hardy for outdoor plantings.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Boule de Neige—white. A very dwarf growing early pure white Caucasicum Hybrid which is entirely hardy. Large flowers.		
° 8 to 10 in. B&B	\$1.25	\$1.00
° 10 to 12 in. B&B	1.50	1.25
—Catawbiense album—white. A pure white Hybrid of good compact habit. Easily forced and very hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Catawbiense grandiflorum—lilac. A rosy-lilac Hybrid of good compact habit. Buds very heavily and is extremely hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
2 to 2½ ft. B&B	2.75	2.50
—Dr Dresselhuys—red. The best tall growing hardy red variety. It is easily forced and has very large red flowers. Pronounced Dress-el-house.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Dr. Lovink—red. A bright red Hybrid of recent introduction making wide bushy plants with extra large leaves. Dwarf grower.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
—Dr. Rutgers—red. A large flower scarlet-red of dwarf spreading habit. Easily forced and buds very freely.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Everestianum—lilac. A very slow growing dwarf variety producing an abundance of pale lavender flowers with prominently yellow spotted and attractively frilled petals.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.		

	10 rate	100 rate
—Ignatius Sargent—light red. A rapid vigorous growing, very hardy light red variety.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
—Lee's Dark Purple—dark purple. Extremely hardy having a large number of buds. This variety naturally produces compact globular specimens.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Mrs. C. S. Sargent—light red. A good light red or deep pink variety of compact bushy habit. Splendid outdoor Hybrid for mass planting as it is extremely hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
2 to 2½ ft. B&B	2.75	
—Mrs. den Ouden—red. Free blooming fiery-crimson Hybrid producing compact well shaped plants. Strong grower.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
—Parsons' grandiflorum (grandiflorum)—red. A good hardy solferino-red with compact clustered flowers.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	
—President Lincoln—lavender. An easily forced tall growing lavender variety. Extremely hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
2 to 2½ ft. B&B	2.75	2.50
2½ to 3 ft. B&B	3.75	3.50
3 to 4 ft. B&B	5.00	
—Prof. Bettex—red. Immense scarlet spotted flowers. Compact well shaped plants. Dwarf in habit.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
—Purpureum elegans—purple. Bushy well shaped plants producing an abundance of purple flowers. Extremely hardy and heavy budder.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
—Roseum elegans—orchid-pink. A heavy budding orchid pink variety which produces compact globular specimens. Easily forced and very hardy.		
° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25
° 15 to 18 in. B&B	1.75	1.50
18 to 24 in. B&B	2.25	2.00
2 to 2½ ft. B&B	2.75	2.50
2½ to 3 ft. B&B	3.75	3.50

*—can be furnished with Japanese Beetle Certificate between October 1st and May 15th if requested.

10 rate 100 rate

—Van der Broeke—red. Fine dark spotted carmine flowers.
Good strong compact grower.

° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25

—Van der Hoop—red. Light tyrian-red flowers. Bushy grower.

° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25

—Van Weerden Poelman—red. Very large crimson flowers and strong grower.

° 10 to 12 in. B&B	\$1.25	\$1.00
° 12 to 15 in. B&B	1.50	1.25

RHODODENDRON carolina—Native pink carolina Rhodo.

° 10 to 12 in. B&B	\$0\$0.60	\$0.50
° 12 to 15 in. B&B75	.65

—hippophicoides—lilac purple. Very dwarf small leafed evergreen rhododendron for rock gardens. Abundance of small lilac-purple flowers.

8 to 10 in. B&B	\$0.90	\$0.75
10 to 12 in. B&B	1.25	1.00

—keiski—yellow. Dwarf small leafed evergreen rhododendron suitable for rock gardens. Hardy lemon yellow flowers.

8 to 10 in. B&B	\$0.75
10 to 12 in. B&B	1.00

—micranthum—milky white. A tall evergreen species with clusters of milky white flowers.

15 to 18 in. B&B	\$1.25	\$1.00
18 to 24 in. B&B	1.50	1.25

°—can be treated (requires two weeks) for Beetle Certificate between October 15th and April 30th if requested.

Special Landscape Grade Rhododendrons

In the thousands of rhododendrons growing on Koster Nursery there are naturally many plants that are irregular in shape or poorly budded, etc., but they are all perfectly healthy plants even though they are not specimen plants.

These rhododendrons are excellent for naturalizing bedding and massing where specific colors are required. We offer these landscape grade rhododendrons in assorted named varieties containing mostly President Lincoln, Roseum Elegans, Mrs. C. S. Sargent, Amphion and Catawbiense grandiflorum and smaller amounts of other varieties.

100 Rhododendrons 2 ft. B&B \$150.00, net

SYRINGA vulgaris—hybrid lilacs

		100 rate
30 Berrver	4- 5 ft.	\$0.75
20 Buffon	3- 4 ft.	.60
10 Buffon	4- 5 ft.	.75
10 Capitan Baltet	12-15 in.	.20
10 Cavour	12-15 in.	.20
50 Chas. X	4- 5 ft.	.75
70 Diderot	15-18 in.	.25
50 DeMiribel	15-18 in.	.25
30 DeMiribel	2- 3 ft.	.45
15 Descartes	4- 5 ft.	.75
10 Edith Cavell	18-24 in.	.35
15 Edouard Andre	15-18 in.	.25
20 Hugo Koster	18-24 in.	.35
70 Hugo Koster	15-18 in.	.25
20 Montaigne	2- 3 ft.	.45
25 Mont Blanc	2- 3 ft.	.45
100 Mme. Casimir Perier	2- 3 ft.	.45
140 Mme. Lemoine	3- 4 ft.	.60
12 Michael Buchner	2- 3 ft.	.45
12 Michael Buchner	3- 4 ft.	.60
10 Mirabeau	3- 4 ft.	.60
20 Pascal	3- 4 ft.	.60
20 President Grevy	3- 4 ft.	.60
60 Vauban	4- 5 ft.	.75
60 Vestale	2- 3 ft.	.45

TAXUS brevifolia nana—Dwarf Japanese yew

	10 rate	100 rate
10 to 12 in. B&B	\$0.90	\$0.75
12 to 15 in. B&B	1.25	1.00
15 to 18 in. B&B	1.50	1.25
18 to 24 in. B&B	2.00	1.75
2 to 2½ ft. B&B	2.50	2.25
2½ to 3 ft. B&B	3.50	
3 to 4 ft. B&B	5.00	

—capitata—Pyramid Japanese yew

	10 rate	100 rate
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	
2½ to 3 ft. B&B	2.50	
3 to 3½ ft. B&B	3.50	

—cuspidata spreading—Spreading Japanese yew

	10 rate	100 rate
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	
2½ to 3 ft. B&B	2.50	
3 to 3½ ft. B&B	3.50	

—media hicksi—Hick's upright berry bearing yew

	10 rate	100 rate
12 to 15 in. B&B	\$0.90	\$0.75
15 to 18 in. B&B	1.25	1.00
18 to 24 in. B&B	1.50	1.25
2 to 2½ ft. B&B	2.00	1.75
2½ to 3 ft. B&B	2.50	2.25
3 to 3½ ft. B&B	3.50	

THUJA elegantissima—Yellow tip arborvitae

15 to 18 in. B&B	\$0.60
18 to 24 in. B&B	.75

	10 rate	100 rate
—globosa—Globe arborvitae		
10 to 12 in. B&B	\$0.45	\$0.35
12 to 15 in. B&B60	.45
15 to 18 in. B&B75	.60
—lutea—Yellow arborvitae		
15 to 18 in. B&B	\$0.60	
18 to 24 in. B&B75	
—pyramidalis—Pyramidal arborvitae		
2 to 2½ ft. B&B	\$0.75	\$0.65
2½ to 3 ft. B&B90	.75
3 to 4 ft. B&B	1.25	1.00
4 to 5 ft. B&B	1.50	1.25
—rosenthali—Dwarf pyramidal arborvitae		
10 to 12 in. B&B	\$0.60	\$0.50
12 to 15 in. B&B75	.60
—sprialis or plicata—Moss arborvitae		
18 to 24 in. B&B	\$0.60	\$0.50
2 to 3 ft. B&B75	.65
3 to 4 ft. B&B	1.25	1.00
4 to 5 ft. B&B	1.50	1.25
—wareana—Siberian arborvitae		
10 to 12 in. B&B	\$0.60	\$0.50
12 to 15 in. B&B75	.60
TSUGA fremdi—Dwarf pyramidal hemlock		
3 to 4 ft. B&B	\$20.00 each	

